


# The Journal of Bengal Geographer



**Dason Publication**  
[www.dasonpublication.com](http://www.dasonpublication.com)

## **A spatial analysis of potato productivity in Hooghly district of west Bengal**

**Sandipan Ganguly**

Research scholar in geography, Burdwan University

**&**

**Palash Patra**

Assistant teacher in geography

Ghoga junior high school

### **Abstract**

*West Bengal ranks second in terms of potato production in India (Department of Agriculture Cooperation, Govt. of India). Hooghly district is one of the leading potato producing districts of West Bengal. The paper attempts to analyse the level of potato productivity in Hooghly district of West Bengal during the time span of 2007-08. The present study is entirely based on the secondary data which have been collected mainly from the District Statistical Handbook, 2008. Crop yield and concentration indices ranking coefficient of Singh (1976) has been used to demarcate the blocks of Hooghly district in terms of potato productivity. The paper reveals that the highest yield index of potato is found in Pursurah block (133.05) and the lowest in Khanakul- II (20.37). The highest concentration index of potato has been recorded in Pursurah (151.05) and the lowest as 22.02 in Serampur-Uttarpara block. The highest level of potato productivity has been found in Pursurah block and the lowest in Balagarh block. To minimise the disparity in potato productivity across the blocks of Hooghly district, special emphasis should be given to the efficient use of modern technological inputs and allocation of fertile alluvial tracts with better use of irrigation.*

**Key words :** 1.Crop Concentration, 2.Productivity, 3.Ranking Coefficient, 4.Yield Index.


### **Introduction**

The English word 'Potato' comes from the Spanish term 'Patata'. The word potato may refer either to the plant itself or to the edible tuber. The potato is best known for its carbohydrate content (Approximately 26 gm in a medium potato). The potato was first domesticated in the region of modern day Southern Peru and extreme north western Bolivia between 8000 B.C. and 5000 B.C. It has since spread around the world and become a staple crop in many countries.

In India, along with rice and wheat, potato has gained an important place as a secondary crop. The percentage share of area to gross-cropped area of potato in India has increased from 0.75 in 2005-06 to 0.79 in 2010-11 (Source: Directorate of Economics & Statistics, Department of Agriculture & Cooperation, and Govt. of India). According to the Department of Agriculture Cooperation (Horticulture Division), Govt. of India, the top potato producing state both in terms of area and production is Uttar- Pradesh followed by West Bengal and Bihar as on 22<sup>nd</sup> January, 2015.

### **The study area**

The Hooghly district of West Bengal (Fig. 1 and Table 1) represents an important and remarkable place in the field of agriculture in West Bengal. Though rice is the prime crop of the district, the agricultural economy largely depends on potato. A significant number of cold storages for potato is located in the district.



**Fig. 1: location of Hooghly district**

**Table 1: Hooghly district at a glance**

|                                |                             |  |                   |
|--------------------------------|-----------------------------|--|-------------------|
| <b>Latitudinal Extension</b>   | 22° 39' 32" N-23° 01' 20" N | <b>Villages</b>                                | 2585              |
| <b>Longitudinal Extension</b>  | 87° 30' 15" E-88° 30' 20" E | <b>Agro Climatic Zone (NARP)</b>               | Old Alluvial Zone |
| <b>Total Population (2011)</b> | 5519145                     | <b>Geographical Area ('000 hc)</b>             | 317.09            |
| <b>Sub-divisions</b>           | 4                           | <b>Cultivable Area ('000 hc)</b>               | 220.35            |
| <b>C.D. Blocks</b>             | 18                          | <b>Net Sown Area in 2007-08 ('000 hc)</b>      | 219.91            |
| <b>Gram Panchyats</b>          | 210                         | <b>Net Irrigated Area in 2007-08 ('000 hc)</b> | 157.52            |

**Source: Official Website of Hooghly district**

### Objectives

1. To find out the yield index of potato at block level in Hooghly district in 2007-08.
2. To calculate the concentration index of potato at block level in Hooghly district in 07-08.
3. To delineate the potato productivity at block level in Hooghly district in 07-08.

### Materials and methods

The present study is entirely based on secondary data. The sources of secondary data include different reports of Department of Agriculture, Govt. of India and West Bengal; Official website of Hooghly district and District Statistical Handbook of Hooghly, 2008. The data have been analysed with the help of crop yield and concentration indices ranking coefficient of Singh (1976) and suitable cartographic techniques.

**A brief outline of potato production of west Bengal**

Rice and potato are considered to be the principal food crops of West Bengal. It is 2<sup>nd</sup> largest producer of potato in India with an average annual output of 8.9 million tonnes. The state accounts for about 30% of India's potato production. Moderately cool temperature with adequate dew is an ideal condition for good potato harvest in West Bengal. The temporal change in the production and yield of potato in West Bengal is shown in Table 2 and 3 respectively.

**Table 2: production of potato in west Bengal**

| Year                        | 2006-07 | 2007-08 | 2008-09 |
|-----------------------------|---------|---------|---------|
| Production (Million Tonnes) | 5.05    | 9.90    | 4.12    |

Source: Department of Agriculture, Govt. of West Bengal

**Table 3: yield of potato in west Bengal**

| Year               | 2007-08 | 2008-09 | 2009-10 |
|--------------------|---------|---------|---------|
| Yield (Kg/Hectare) | 24704   | 10677   | 22500   |

Source: Department of Agriculture, Govt. of West Bengal

**Crop yield index and crop concentration index of potato in Hooghly district**

The crop yield index and the crop concentration index of potato in Hooghly district have been computed with the help of crop yield and concentration indices ranking coefficient of Singh (1976).

$$Y_i = \frac{Y_{ae}}{Y_{ar}} \times 100 \dots \dots \dots (i)$$

Where,

Y<sub>i</sub> is the crop yield index

Y<sub>ae</sub> is the average yield per hectare of crop 'a' (i.e. potato) in the component enumeration unit (i.e. block level)

Y<sub>ar</sub> is the average yield of crop 'a' (i.e. potato) in the entire district (i.e. Hooghly)

$$C_i = \frac{P_{ae}}{P_{ar}} \times 100 \dots \dots \dots (ii)$$

Where,

C<sub>i</sub> is the crop concentration index

P<sub>ae</sub> is the percentage sharing of crop 'a' (i.e. potato) to the total harvested area in the component enumeration unit (i.e. block level)

P<sub>ar</sub> is the percentage sharing of crop 'a' (i.e. potato) to the total harvested area in the entire district (i.e. Hooghly)

$$RCY_i C_i = \frac{Y_i \text{ ranking of Crop "a"} + C_i \text{ ranking of crop "a"}}{2} \dots \dots \dots (iii)$$

Where,

RCYiCi is crop yield and concentration indices ranking coefficient of crop 'a' (i.e. potato)

Here, the lower value of the ranking co-efficient indicates the higher degree of productivity and the higher value of the ranking coefficient implies the lower degree of productivity (Table 4).

**Table 4: Block wise crop yield and concentration indices ranking coefficient of potato in Hooghly district (2007-08)**

| C.D Blocks                | Total Cropped Area (Hectare) | Area In Hectares | Production In Million Tonnes | Yield (Kg/hectares) | Yi     | Rank Of Yi | Ci     | Rank Of Ci | RCYiCi |
|---------------------------|------------------------------|------------------|------------------------------|---------------------|--------|------------|--------|------------|--------|
| <b>Dhaniakhali</b>        | 42419                        | 7207             | 196369                       | 27246.92            | 111.16 | 8          | 68.95  | 11         | 9.5    |
| <b>Pandua</b>             | 44936                        | 7498             | 200201                       | 26700.57            | 108.93 | 10         | 67.72  | 12         | 11     |
| <b>Balagarh</b>           | 30330                        | 3738             | 60316                        | 16135.87            | 65.83  | 15         | 50.02  | 14         | 14.5   |
| <b>Chinsurah-Mogra</b>    | 5670                         | 579              | 13037                        | 22516.81            | 91.86  | 12         | 41.44  | 15         | 13.5   |
| <b>Polba-Dadpur</b>       | 43537                        | 7498             | 175588                       | 23417.95            | 95.54  | 11         | 69.90  | 10         | 10.5   |
| <b>Tarakeswar</b>         | 22103                        | 7172             | 229048                       | 31936.37            | 130.30 | 3          | 131.69 | 2          | 2.5    |
| <b>Haripal</b>            | 30636                        | 8172             | 222134                       | 27182.35            | 110.90 | 9          | 108.26 | 3          | 6      |
| <b>Singur</b>             | 22706                        | 4936             | 91983                        | 18635.19            | 76.03  | 14         | 88.23  | 8          | 11     |
| <b>Jangipara</b>          | 24334                        | 5194             | 156484                       | 30127.79            | 122.92 | 5          | 86.63  | 9          | 7      |
| <b>Chanditala-I</b>       | 13179                        | 1051             | 30427                        | 28950.81            | 118.11 | 7          | 32.37  | 16         | 11.5   |
| <b>Chanditala-II</b>      | 3672                         | 258              | 5655                         | 21918.91            | 89.42  | 13         | 28.52  | 17         | 15     |
| <b>Serampur-Uttarpara</b> | 774                          | 42               | 591                          | 14071.00            | 57.41  | 16         | 22.02  | 18         | 17     |
| <b>Goghat-I</b>           | 27673                        | 4367             | 142090                       | 32537.11            | 132.75 | 2          | 64.05  | 13         | 7.5    |
| <b>Goghat-II</b>          | 36134                        | 8395             | 260683                       | 31052.13            | 126.69 | 4          | 94.29  | 5          | 4.5    |
| <b>Arambagh</b>           | 48844                        | 11699            | 349970                       | 29914.52            | 122.05 | 6          | 97.21  | 4          | 5      |
| <b>Khanakul-I</b>         | 29109                        | 6616             | 69596                        | 10519.37            | 42.92  | 17         | 92.24  | 6          | 11.5   |
| <b>Khanakul-II</b>        | 12973                        | 2831             | 14138                        | 4993.95             | 20.37  | 18         | 88.56  | 7          | 12.5   |
| <b>Pursurah</b>           | 20342                        | 7571             | 246903                       | 32611.70            | 133.05 | 1          | 151.05 | 1          | 1      |

Source: District Statistical Handbook of Hooghly, 2008 and Computed by authors

$Y_i$  is the crop yield index

$C_i$  is the crop concentration index

$RCY_iC_i$  is the crop yield and concentration indices ranking coefficient

The highest crop yield index has been recorded as 133.05 in Pursurah block and the lowest as 20.37 in Khanakul-II. On the basis of block wise crop yield index (Table 4), Hooghly district has been categorised into three distinct micro regions i.e. high, moderate and low yield index of potato (Table 5).

**Table 5: block wise crop yield index of potato in Hooghly district (2007-08)**

| Categories      | Crop Yield Index ( $Y_i$ ) | C.D. Blocks  |
|-----------------|----------------------------|--|
| <b>High</b>     | More than 110              | Dhaniakhali, Haripal, Jangipara, Chanditala-I, Goghat-I, Goghat-II, Arambagh, Pursurah, Tarakeswar |
| <b>Moderate</b> | 70-110                     | Pandua, Chinsurah-Mogra, Polba-Dadpur, Singur, Chanditala-II                                       |
| <b>Low</b>      | Less than 70               | Balagarh, Serampur-Uttarpara, Khanakul-I, Khanakul-II  |

Source: Prepared by authors from Table 4

The highest crop concentration index has been found as 151.05 in Pursurah block and the lowest as 22.02 in Serampur-Uttarpara. On the basis of block wise crop concentration index of potato, Hooghly district has also been categorised into three distinct micro regions i.e. high, moderate and low crop concentration index of potato (Table 6).


**Table 6: block wise crop concentration index of potato in Hooghly district (2007-08)**

| Categories      | Crop Concentration Index ( $C_i$ ) | C.D. Blocks   |
|-----------------|------------------------------------|---|
| <b>High</b>     | More than 110                      | Tarakeswar, Pursurah  |
| <b>Moderate</b> | 70-110                             | Singur, Jangipara, Haripal, Goghat-II, Arambagh, Khanakul-I, Khanakul-II  |
| <b>Low</b>      | Less than 70                       | Dhaniakhali, Pandua, Balagarh, Chinsurah-Mogra, Polba-Dadpur, Chanditala-I, Chanditala-II, Serampur-Uttarpara, Goghat-I |

Source: Prepared by authors from Table 4

### Delineation of blocks of Hooghly district on the basis of potato productivity

On the basis of crop yield index and concentration indices ranking coefficient (Table 4), the blocks of Hooghly district have been delineated into three categories i.e. high, moderate and low (Fig. 2).



**Fig. 2: potato productivity in Hooghly district (2007-08)**

### Conclusion

Potato productivity in Hooghly district is characterised by distinct regional variation. Though some blocks enjoy good status in terms of potato productivity but a significant number of blocks display poor productivity as compared with the more developed blocks. Lack of irrigation and technological inputs, low level of communication, low monetary return and fluctuation in market price, locational settings and above all the poverty of farmers are the main reasons behind the low status of potato productivity in those blocks. So proper strategies should be adopted to enhance the overall scenario of potato productivity of the district. Potato has a rich potentiality to act as a raw material for various food processing units. So emphasis should be given for establishing potato based food processing industries in the district. The govt of West Bengal should encourage the establishment of such industries in the district. Initiatives have already been taken. Agro PE & Pvt. Ltd., a Pailan Group Company have entered into a joint venture with A.F.T./PB conseil of France, for setting up a food processing unit in Dhaniakhali, Hooghly to produce potato flakes. Through such initiatives, potato will not only become an important resource for employment generation in Hooghly district, but also contribute to the economy of West Bengal.

## References

1. *District Statistical Handbook, Hooghly. (2008). Bureau of Applied Economics and Statistics, Kolkata, Government of West Bengal.*
2. *Husain, Majid. (1970). Geographical Review of India, 32, Patterns of Crop Concentration in Uttar Pradesh, pp. 169-185.*
3. *Husain, Majid. (1996). Systematic Agricultural Geography, Agricultural Regionalisation Rawat Publications, Jaipur, pp. 220-244.*
4. *Mohammad, Ali. (1978). Situation of Agriculture Food and Nutrition in Rural India, Trends in Levels of Agricultural Productivity, Concept Publishing Company, New Delhi, pp. 44-90.*
5. *Mondal, Tarun Kumar. (2012). Journal of Landscape Systems and Ecological Studies, ISSN 0971-4170, 35 (1), Groundnut Productivity in West Bengal, pp. 675-678.*
6. *Official Report, (2009) Directorate of Agriculture, Government of West Bengal.*
7. *Official Report, (2010). West Bengal: Agricultural Highlights, Italian Trade Commission.*
8. *Official Report (2011) Directorate of Economics and Statistics, Department of Agriculture and Cooperation, Government of India.*